Commercial Kitchen Equipment Parts

PITCO 35C+

Pitco 35C+ document

Provided by PartHubz

parthubz.com

833-700-8006 | support@parthubz.com

Model 35C+ & 45C+ Economy Tube Fired Gas Fryers

Project _____

Item No. _____

Quantity _____



STANDARD ACCESSORIES

- Cabinet - stainless steel front, door
- Galvanized sides and back
- Tank - stainless steel
- Built-in integrated flue deflector
- Two nickel plated oblong, wire mesh baskets
- One nickel-plated tube rack
- One drain extension
- One drain line clean-out rod
- Removable basket hanger for easy cleaning
- 6” (15.2 cm) adjustable legs

AVAILABLE OPTIONS & ACCESSORIES

- ☐ Triple baskets
- ☐ Covers
- ☐ Fryer cleaner
- ☐ Casters

STANDARD SPECIFICATIONS

CONSTRUCTION

- Welded tank with an extra smooth peened finish ensures easy cleaning.
- Long-lasting, high-temperature alloy stainless steel heat baffles are mounted in the heat exchanger tubes to provide maximum heating and combustion efficiency.
- Standing pilot light design provides a ready flame when heat is required.
- Cabinet front and door are constructed of stainless steel with galvanized sides and back.

CONTROLS

- Thermostat maintains selected temperature automatically between 200°F (93°C) and 400°F (190°C-CE).
- Integrated gas control valve acts as a manual and pilot valve, automatic pilot valve, gas filter, pressure regulator (MAX ½ PSI SUPPLY), and automatic main valve.
- Gas control valve prevents gas flow to the main burner until pilot is established and shuts off all gas flow automatically if the pilot flame goes out.
- Temperature limit switch safely shuts off all gas flow if the fryer temperature exceeds the upper limit.

OPERATIONS

- Front 1-1/4” (3.2 cm) NPT drain for quick draining.
- Standing pilot and thermostat maintain temperature automatically at the selected temperature (between 200°F (93°C) and 400°F (190°C-CE)).

Please note: 35C+ is only model “CE” approved

0063


Pitco Frialator, Inc., P.O. Box 501, Concord, NH 03302-0501 • 553 Route 3A, Bow NH 03304, USA
(603) 225-6684 • Fax (603) 225-8472 • *www.pitco.com*

L10-144 Rev 14 (03/19)

Model 35C+ & 45C+ Economy Tube Fired Gas Fryers

Model 35C+ & 45C+ Economy Tube Fired Gas Fryers

Model 35C+ & 45C+ Economy Tube Fired Gas Fryers



ELECTRICAL	OIL CAPACITY
No Electrical options available	35-40 lbs (15.9 - 18.1 kg)- Model 35C+
	42-50 lbs (19.1 - 22.7 kg)- Model 45C+

SHIPPING INFORMATION (Approximate)
161 lbs (73 kg) / 17.0 cubic feet (0.48 cubic meters) Model 35C+
181 lbs (82 kg) / 17.0 cubic feet (0.48 cubic meters) Model 45C+

GAS CONSUMPTION	PERFORMANCE CHARACTERISTICS	
90,000 BTU's/Hour (26.3 kW) 122,000 BTU's/Hour (35.7 kW) Available in Natural or Propane Gas. For other Fuel types contact your Dealer/Distributor.	Cooks 50.2 lbs. (22.7 KG) of fries per hour.-Model 35C+ Cooks 66.2 lbs. (30.0 KG) of fries per hour.-Model 45C+ Frying area is 14" x 14" (35.6 x 35.6 cm)	
Gas requirement for Incoming Pressure	NATURAL	PROPANE
	7 - 9 inches	11 - 12 inches

SHORT FORM SPECIFICATION
Provide Pitco 35C+, or 45C+ tube-fired gas fryer. Fryer shall have an atmospheric burner system combined with three stainless steel tubes (Model 45C+ has four tubes) utilizing high temperature alloy stainless steel baffles. Fryer shall have a deep cool zone; minimum 20% of total oil capacity. Fryer cooking area shall be 14" x 14" (35.7 x 35.7 cm) with a cooking depth of 2-3/4" (7.00 cm). Model 45C+ has cooking depth of 4" (10.16 cm). Heat transfer area shall be a minimum of 588 square inches (3794 sq cm) for 35C+. Heat transfer area shall be a minimum of 785 square inches (5058 sq cm) for 45C+. Provide accessories as follows:

TYPICAL APPLICATION
Frying a wide variety of foods in a limited amount of space. Frying that requires a high volume production rate.

Pitco Frialator, Inc., P.O. Box 501, Concord, NH 03302-0501 • 553 Route 3A, Bow NH 03304, USA
Phone • (603) 225-6684 • Fax (603) 225-8472 • *www.pitco.com* L10-144 Rev 14 (03/19) Printed in the USA
We reserve the right to change specifications without notice and without incurring any obligation for equipment previously or subsequently sold.

Commercial Kitchen Equipment Parts

Find more Pitco equipment resources at

parthubz.com/equipment/pitco

Need parts or service?

Call 833-700-8006

support@parthubz.com

parthubz.com